WorkForce DS-570W



The wireless sheetfed document scanning choice, revolutionising workflows with smart features for capturing a wide range of documents.

With powerful media handling and innovative smart features to ensure a high level of data integrity, the wireless WorkForce DS-570W is geared towards highly-efficient and simple integration into an organisation's workflow. A 50-page ADF, fast scan speeds of up to 35ppm/70ipm, along with Wi-Fi, NFC and USB 3.0 connectivity, enable you to rapidly connect, capture, edit, store and share business documents.

Intelligent features improve efficiency, accuracy and data reliability

With an industry-first slow mode¹ for scanning crumpled or fragile documents, the ability to scan challenging media has never been easier. The Active Separation Roller System prevents tedious document double feeds and the Double Feed Detection Skip (DFDS) means you can scan difficult media like envelopes or documents with post-it notes. Auto Scan Mode enables the processing of a vast number of documents as one file.

Highly versatile

Single-pass double-sided scanning ensures rapid document processing, while it's possible to scan a versatile array of media such as paper as thin as 27gsm, or thick card at 413gsm. The instantly-recognised A3 carrier sheet automatically stitches larger documents back together digitally.

Flexible connectivity

Scan documents easily to mobile, tablet and Wi-Fi-enabled work stations with its wireless capability. Built-in NFC enables instant Wi-Fi connectivity. It has high-speed USB 3.0 with TWAIN and WIA drivers for enhanced compatibility with Document Management Systems.

Image enhancement and document management software

Epson Scan 2.0 software makes it easy to edit images with features such as deskew and auto rotate, while Document Capture Pro³ is the easy to use solution for capturing and storing electronic documents at the touch of a button.

DATASHEET / BROCHURE



KEY FEATURES

- Wireless scanning Scan documents easily to mobile, tablet and Wi-Fi-enabled work stations
- An industry first with Slow Mode¹ Scan crumpled, long or fragile documents without increasing file sizes
- Active Separation Roller System Prevents tedious double feeds ensuring every piece of paper gets scanned
- Auto Scan Mode Quickly process physical documents in manageable amounts.
- Optional Network Interface Easy sharing between users with push scan and pre-defined job profiles



PRODUCT SPECIFICATIONS

TECHNOLOGY		
Scanner type	Sheetfed Scanner	
Scanning Resolution 600 dpi x 600 dpi (Horizontal x Vertical) ADF Minimum Document Size 50.8 mm x 50.8 mm (Horizontal x Vertical) ADF Maximum Document Size 215.9 mm x 6,096 mm (Horizontal x Vertical)		
Paper Formats	A4, A5, A6, B5, B6, Letter, Postcard, Business cards, Plastic cards, Legal, Executive	
Colour Depth	Input: 30 Bits Colour / 10 Bits Monochrome , Output: 24 Bits Colour / 8 Bits Monochrome	
SCANNER		
Light Source	ReadyScan LED technology	
SCAN SPEED		
Scanning Speed	Monochrome: 35 pages/min - Colour: 35 pages/min measured with size: A4 , resolution: 200 /	
0 1	300 dpi, Monochrome: 70 image/min - Colour: 70 image/min measured with size: A4,	
	resolution: 200 / 300 dpi	
PAPER / MEDIA HANDLING	50 Sheets	
ADF Paper Setting Capacity		
Reliability Daily Duty Cycle Duplex Scan	4,000 pages Yes	
Duplex Scall		
SCANNING FEATURES		
Features	RGB colour dropout / enhance, Skip blank page, A3 stitching, Punch holes removal, Advanced	
	editing, Automatic de-skew, Automatic multi-document recognition, RGB colour enhance,	
	Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge enhancement,	
	Unsharp Mask (USM), Descreening, Automatic Folder Creation, Barcode Recognition, Zonal	
	OCR A & B support, Full Zonal OCR	
Output formats	JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A	
File compression features	Hardware JPEG compression, TIFF Compression (JPEG(7) , CCITT G4, LZW), PDF	
	Compression	
Advanced document	E-mail, FTP, Microsoft SharePoint®, Print, Web folders, Network folders	
integration		
CONNECTIVITY		
	Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi Direct, Ethernet Interface (1000 Base-T/ 100-Base TX/	
	Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi Direct, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional), USB 3.0	
Interfaces		
Interfaces Network Interface Panel / Unit	10-Base-T) (optional), USB 3.0 Optional	
Interfaces Network Interface Panel / Unit Ethernet settings	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite)	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height)	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software Compatible Operating	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software Compatible Operating	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6 Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software Compatible Operating	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6 Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows	
Panel type Protocol support IPv6 support	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6 Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows Server 2008 R2,	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software Compatible Operating Systems	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6 Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows XP Professional x64	
Interfaces Network Interface Panel / Unit Ethernet settings Panel type Protocol support IPv6 support Panel Lock with password GENERAL Product dimensions Product weight Drivers Included Software Compatible Operating	10-Base-T) (optional), USB 3.0 Optional 10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex 5-line LCD with Push Scan features TCP/IP, DHCP, DNS, SNMP, SLP, HTTP Yes Yes (with Document Capture Suite) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Newsoft Presto BizCard 5.6 Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows XP Professional x64	

WorkForce DS-570W

WHAT'S IN THE BOX

- Driver and utilities (CD)
- Main unit
- Power cable
- Setup guide
- USB cable
- Warranty Documents



OPTIONAL ACCESSORIES

- Carrier Sheet 5 sheets B12B819051
- Roller Assembly Kit
- B12B819031 Cleaning Kit
- B12B819291
- Network Interface Unit B12B808451BY

LOGISTICS INFORMATION

ѕки	B11B228401BY
EAN code	8715946552064
Layer	9 Units
Layer Block	12 Units

For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie Compared to sheet-fed scanners, within the speed range of 25ppm to 39ppm, based on data from the websites and brochures of the top five best-selling scanner models in EMEA for the full year 2015 according to InfoSource Document Management Scanner Sales Full Year 2015.
 Compatible with DS-570W in USB mode only.
 Requires download from Epson website

EPSON[®]

WorkForce DS-570W

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2018-12-06