



UX10 FULLY RUGGED TABLET

- 10th Generation Intel® Core™ i7/i5 Processor
- 10.1" FHD LumiBond® 2.0 Display with Getac Sunlight Readable Technology (1,000 nits) and Capacitive Touchscreen
- Enhanced Enterprise Security with optional Intel vPro[™], Windows Hello face-authentication camera and multi-factor authentication options
- Detachable keyboard and multifunctional hard handle for on-the-job flexibility
- Multiple configurable options to fit diverse usage scenarios













Specifications

Generation

Operating System

Windows 10 Pro

Mobile Computing Platform

Intel® Core™ i5 Technology
Intel® Core™ i5-10210U Processor 1.6GHz
Max. 4.2GHz with Intel® Turbo Boost Technology
- 6MB Intel® Smart Cache

Platform Options:
Intel® Core™ i5 Technology
Intel® Core™ i5-10310U Processor 1.7GHz
Max. 4.4GHz with Intel® Turbo Boost Technology
- 6MB Intel® Smart Cache

Intel® Core™ i7 Technology Intel® Core™ i7-10510U Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology

8MB Intel® Smart Cache

Intel® Core™ i7 Technology Intel® Core™ i7-10610U Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology

- 8MB Intel® Smart Cache VGA Controller

Intel® UHD Graphics

10.1" IPS TFT LCD FHD (1920 x 1200)

Protection film 1000 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen

Storage & Memory

8GB DDR4 Optional: 16GB / 32GB DDR4

256GB SSD Optional: 512GB / 1TB SSD

Keyboard

Power button

5 tablet programmable buttons

Pointing Device

- Capacitive multi-touch screen
 Optional: Dual mode touchscreen (multi-touch and digitizer)

Expansion Slot

Optional (top side): 1D/2D imager barcode reader, or serial port, or MicroSD slot, or USB 3.0 Type-A port, or USB 3.1 Gen 1 Type-C port, or LAN port (RJ-45), or VGA port*, or HF RFID reader.

Optional (right side): fingerprint reader, or serial port+LAN port (RJ-45), or HF RFID reader $^{\text{iv}}$.

Optional (back side): smart card reader, or bridge battery, or bridge battery+smart card reader

I/O Interface

FHD webcam x 1xi 8M pixels auto focus rear camera x 1 Headphone out / mic-in combo x 1

DC in Jack x 1 USB 3.1 Gen 2 Type-A x 1 HDMI x 1

Docking Connector x 1
Optional: Windows Hello face-authentication camera (front-facing) x 1^{xii}
Optional: RF antenna pass-through for GPS, WLAN and WWAN

Communication Interface

Intel® Dual Band Wireless-AC 9260, 802.11ac

Optional: Dedicated GPSⁱⁱⁱ
Optional: 4G LTE mobile broadband with

integrated GPS Optional: 10/100/1000 base-T Ethernet

Security Feature

TPM 2.0 Kensington Lock

Optional: Intel® vPro™ Technology Optional: HF RFID reader^{i,ii} Optional: Fingerprint readerⁱ

Optional: Smart card reader

AC adapter (65W, 100-240VAC, 50 / 60Hz) Li-lon smart battery (11.1V, typical 4200mAh; min.4080mAh) x 1

Optional: High capacity battery (10.8V, 9240mAh) x 1 Optional: Bridge battery

Dimension (W x D x H) & Weight

276.8 x 194.5 x 23.5 mm (10.89" x 7.65" x 0.92"), 1.22 kg (2.68 lbs)vii

Rugged Feature

MIL-STD-810G certified IP65 certified MIL-STD-461G certified^{viii} Vibration & 6 feet drop resistant^{x, x}
e-Mark certified for vehicle usage
Optional: ANSI / UL 121201, CSA C22.2 NO. 213
Optional: Salt fog certified

Environmental Specification

- Temperature*:
 Operating: -29°C to 63°C / -20°F to 145°F
 Storage: -51°C to 71°C / -60°F to 160°F Humidity
- 95% RH , non-condensing

Pre-installed Software

Optional: Absolute Persistence®

Getac Utility Getac Gamera
Getac Geolocation
Getac Barcode Manager^{xii}

Accessories

Battery (11.1V, typical 4200mAh; min. 4080mAh) AC Adapter (65W, 100-240VAC) Capacitive Stylus

Carry Bag

Folio Casi

Folio Case
Battery (11.1V, typical 4200mAh; min. 4080mAh)
High capacity Battery (10.8V, 9240 mAh)
Multi-bay Charger (Dual Bay)
Multi-Bay Charger (Eight-Bay)
AC Adapter (65W, 100-240VAC)
Office Dock AC Adapter(90W, 100-240VAC)
MIL-STD-461 Certified AC Adapter (90W, 115-230VAC)
Volvich Adapter (120W, 11, 23)(DC)

Vehicle Adapter (120W, 11-32VDC) Digitizer Pen

Digitizer Pen
Capacitive Stylus
Protection Film
Hand Strap
Shoulder Strap (2-point)
Shoulder Harness (4-point; handsfree)
Detachable Keyboard
Vehicle Dock

Vehicle Dock

Bumper-to-Bumper Warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

- 13.56MHz Contactless HF RFID reader (ISO 15693, 14443 A/B, Mifare and Felica™ compliant). 1D/ZD imager barcode reader, HF RFID reader, serial port, LAN port (R/45), USB 3.0 port, USB 3.1 Gen 1 Type-C port, MicroSD slot and VGA port are mutually exclusive options. Supports GPS and Glonass.
- Fingerprint scanner, HF RFID reader, and serial port+LAN port (RJ45) are mutually exclusive
- Smart card reader, bridge battery and bridge battery+smart card reader are mutually xclusive options.
- exclusive options.
 Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is
- operating in the area.

 vii Weight and dimensions vary from
- configurations and optional accessories
 viii MIL-STD-461G 90W AC adapter sold separately.
 ix Drop test results vary from configurations and
- optional accessories.
 Tested by a national independent third party test lab following MIL-STD-810H.
 FHD webcam and optional Windows Hello
- face-authentication camera (front-facing) are
- mutually exclusive options. xii Available when barcode reader option is selected.

Fully Rugged Tablet



Docking Solutions

3	Vehicle Dock	Office Dock
Serial Port	1	1
VGA		1
Microphone		1
Audio Output		1
DC in Jack	1	1
USB	USB 3.0 x2 USB 2.0 x2	USB 3.0 x2 USB 2.0 x2
LAN	1	1
HDMI		1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	
Kensington Lock	1	1



Getac (UK) Ltd.

Getac House, Stafford Park 12, Telford, Shropshire TF3 3BJ, United Kingdom Tel: +44 (0) 1952 207 222 Sales-Getac-UK@getac.com | www.getac.com/en/



Copyright @ 2020 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved available specification shall be subjected to quotation by request. V01M10Y20UK