

# SW200 Standard Wax

## Efficient Wax Thermal Transfer Ribbon



Food/Beverage



Health/Beauty



Logistics



Retail



The printhead cleaner *built in* your ribbon.

### Benefits

- Handles general purpose applications with ease
- Highly compatible - no printer adjustments
- Remarkable blackness in print quality
- Good stock latitude from rough to smooth coated papers
- Excellent print quality on flood coated labels
- Specially formulated backcoat protects the printhead
- Clean Start® built-in printhead cleaner maintains print quality

### Recommended Stocks

#### Paper

- Vellum
- Matte Coated
- Semi-Gloss
- Gloss
- Floodcoats

### Applications

- Compliance labeling
- Component identification
- Hang tags
- Ingredient lists
- Prepared foods
- Prime label
- Product identification
- Shipping
- Warehousing
- Work in Process (WIP)

### Key Product Range

STANDARD WAX	ENHANCED WAX	WAX RESIN	RESIN	NEAR EDGE
SW200	GP725 High Mark DC100	PM250 Prime Mark DC200	SP330 SP575 DC400	NETMark IQ NETFlex+ NET330

### Technical Specifications

Film Thickness ..... 4.5 Microns  
 Total Ribbon Thickness ..... 8.1 Microns  
 Transmission Density ..... >4.0 MacBeth Scale  
 Ink Melting Point ..... 67°C / 152°F

### Imaging Characteristics

Printer ..... Flathead  
 Max Print Speed ..... 10 IPS (254 mm/s)  
 Image Darkness ..... 1.9 RD (densitometer)

### Compliance

- REACH - SVHC Free
- RoHS/WEEE
- California Proposition 65
- Additional Regulatory Requirements Upon Request


### Sample SKUs

Part # CES11033 - 110 mm x 50 m - CSI  
 Part # CES11032 - 110 mm x 50 m - CSO

### Storage Conditions

12 months recommended  
 20-85% Relative Humidity Rate, 23-104°F (-5-40°C)

### Performance Ratings



310 Commerce Drive • Amherst, NY 14228  
 Toll-Free: 888.464.4625 • Phone: 716.691.6333  
[salesinfo@iimak.com](mailto:salesinfo@iimak.com) • [www.iimak.com](http://www.iimak.com)

V.001\_7.2021