


Key Features

- 3840 x 2160 4K resolution
- Infrared 10-point touch
- Embedded media player and 16GB storage
- USB multimedia playback
- Remote settings



Product **Description**

The ViewSonic EP5542T is a 10-point interactive 55" all-in-one free-standing digital ePoster kiosk with a sleek, slim design. Great for grabbing attention in busy, high-traffic areas, the EP5542T comes with a scratch-proof tempered glass faceplate for added durability. Featuring 4K resolution, 178°/178° wide-angle viewing, and dual 10W stereo speakers, the EP5542T delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the embedded ARM media player and 16GB of internal memory, or add your own media player using the convenient media player cradle inside the lockable security door. It has build-in media playback software, as well as compatibility with ProAV control systems, make for easy management of multiple displays.



ViewSonic EP5542T 55 inch Multi-touch Digital ePoster

2. RS-232C 3. Audio In 4. S/PDIF 5. PC In 6. Touch Out 7. USB 2.0

9. DP In 10. AC In 11. Power Swithch 12. AC Out 13. RJ45 14. USB x2

Visit Us

www.viewsonic.com

DISPLAY		
Panel Size:	55"	
Type/Tech:	TFT LCD (VA type,DLED Backlight)	
Display Area (mm):	1209.6 (H) * 680.4 (V)	
Aspect Ratio:	9:16	
Native Resolution:	2160 x 3840	
Colors:	1.07B	
Brightness:	450 nits (typ.)	
Contrast Ratio:	1300:1 (typ.)	
Response Time:	9 ms (typ. G to G)	
Viewing Angles:	H = 178, V = 178 typ.	
Backlight Life:	30,000 Hours Typ.	
Surface Treatment:	7H Tempered Glass	
Orientation:	Portrait	
тоисн		
Type/ Tech:	IR Recognition	
Touch Resolution:	32768 x 32768	
Touch Point:	10 Points	
INPUT		
HDMI:	(2.0) x 3	
RGB / VGA:	x1	
DisplayPort:	(1.2) x 1	
Audio:	x1 PC audio(3.5 mm)	
RS232:	x1	
OUTPUT		
Audio:	x1 (Earphone out)	
SPDIF:	x1	
LAN		
RJ45:	x1	
USB		
Type A:	x3 (2.0)	
Туре В:	x2 (for touch module)	
SPEAKERS		
10W x 2		
COMPATIBILITY		
RGB PC/HDMI PC:	1920x1080 @60Hz	
HDMI:	2160 x 3840 @60Hz	
DisplayPort:	2160 x 3840 @60Hz	
ANDROID VERSION		
8.0		
MULTIMEDIA		
Image: JPG, BMP, PNG, Video: MP4, MOV, MKV, DAT, MPG, MPEG, AVI, TS, WMV,RM,RMVB, Audio: MP3,WAV,AAC		

POWER

Voltage:	100-240VAC +/- 10% Wide Range
Consumption:	Normal 126 W, Max 149 W (max.), < 0.5W (Off)

OPERATING CONDITIONS

Temperature (° C):	0°C to 40°C
Humidity:	20% ~ 80% non- condensing

DIMENSIONS (WXHXD)

Physical (inch / mm):	30.26 x 73.62 x 17.72 in/768.5 x 1870 x 450 mm
Packaging (inch / mm):	38.19 x 80.08 x 23.98 in/970 x 2034 x 609 mm

WEIGHT

Net (lb / kg):	138.23 lbs/62.7 kg
Gross (lb / kg):	164.69 lbs/74.7 kg

REGULATIONS

cTUVus, FCC, Energy Star, CE, CB, RoHS, ErP, EEI, WEEE, BSMI

PACKAGE CONTENTS

- 1. Power Cord
- 2. Remote control with battery
 3. Quick Start Guide
 4. Key

*Actual content may differ from market to market

Copyright ${\small @}$ ViewSonic Corporation 2000-2023. All rights reserved.

BUNDLE SOFTWARE Revel Digital, SureMDM