

# melford LCD VIDEO WALL DISPLAY

55" 4K compatible video wall panels

Super narrow bezel

24/7 commercial grade IPS panel

Temperature control

Ultra resistant to blackening defects

LED backlight

Landscape or portrait orientation







### **ADDITIONAL FEATURES**



4K compatible



Daisy chain tiling



Low power consumptio



Multiple inputs



timer









Optional external networ

melfordtechnologies.com

# Presenting the Melford LCD Video Wall Display range

melford











1032 405

3.5MM SUPER NARROW BEZEL 24/7 COMMERCIAL GRADE

TEMPERATURE CONTROL


500 CD /M<sup>2</sup> IPS COMMERCIAL GRADE













ULTRA RESISTANT TO BLACKENING DEFECT



LED BACKLIGHT





**4K** 

4K COMPATIBLE

melford

55 Inch		
Panel	Resolution	1920 x 1080
	Bezel Size	Bottom/right: 1.2, Top/left: 2.3
	Display Area (mm)	1209.9 x 680.7
	Aspect Ratio	16:9
	Brightness (cd/m²)	500
	Colour	16.7M
	Colour Temperature	10,000K
	Viewing Angle	178°
	Contrast Ratio	1300:1
AV Inputs/Outputs	Inputs	DisplayPort In, HDMI In x2, RS-232 In
	Outputs	DisplayPort Out, RS-232 Out
Power	Power Consumption (W)	<200W
	Input Voltage	AC 100V ~ 240V(50/60Hz)
	Power Management	VESA DPMS
Mechanical	Unit Size (WxHxD mm)	1213.4 x 684.2 x 106.9
	VESA Holes (mm)	600 x 400
Environmental	Operating Temperature	0°C to 50°C
	Storage Temperature	-30°C to 60°C
	Working Pressure	800-1114 hPa (Altitude:0-2,000m)
Accessories	Included	1.5m DisplayPort Cable, LAN Cable and IR Sensor, Remote Control, 1.5m Power Cable, User Manual
	Optional	Network or Standalone Media Player, Touch Screen Frame
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

# **Why Melford?**

Melford Technologies have been offering innovative technology solutions for over 50 years.

We provide experienced professional design, project planning, configuration, deployment, and maintenance services for a full one stop shop.

We can assist with the design and manufacture of your digital signage solution from the blank piece of paper at the initial meeting through to installation and post-sales support.

## **Contact Us**

+44 (0)1494 638 069

info@melfordtechnologies.com

melfordtechnologies.com

