

 Digital Signage

## melford **LCD VIDEO WALL DISPLAY**

55" Ultra-Narrow Bezel LCD Video Wall Display  
– ideal for creating immersive, seamless digital experiences with near invisible bezels

Razor-thin even bezels

4K compatible

500 cd/m<sup>2</sup> IPS panel

Multiple input options

Anti-glare surface treatment

Remote commands via TCP/IP

### ADDITIONAL FEATURES



4K daisy chain tiling



Automatic tiling



Portrait or landscape orientation



Built for 24/7 use



Wide viewing angle



Eco-friendly power timer



Smart temperature control




Optional network upgrade

[melfordtechnologies.com](http://melfordtechnologies.com)



# Presenting the Ultra-Narrow Bezel LCD Video Wall Display

# melford




0.88MM ULTRA NARROW BEZEL







ULTRA RESISTANT TO BLACKENING DEFECT



LANDSCAPE OR PORTRAIT ORIENTATION



ULTRA SLIM PROFILE



At each end of the mounting brackets, only the middle of the three holes is threaded. Please use extra nuts and bolts to secure when using the top and middle holes.

ANTI-GLARE IPS PANEL



24/7 COMMERCIAL GRADE



SILENT RUNNING



VESA COMPATIBLE MOUNTING



melford

55 Inch		
Panel	Resolution	1920 x 1080
	Bezel Size (mm)	0.44
	Display Area (mm)	1209.6 x 680.3
	Aspect Ratio	16:9
	Brightness (cd/m <sup>2</sup> )	500
	Colour	1.07B
	Colour Temperature	10,000K
	Surface Treatment (Haze)	28%
	Contrast Ratio	1100:1
AV Inputs/Outputs	Inputs	DisplayPort In x2, HDMI In x2, RS-232 In
	Outputs	DisplayPort Out, RS-232 Out
Power	Power Consumption (W)	<250W
	Input Voltage	AC 100V ~ 240V (50/60Hz)
	Power Management	VESA DPMS
Mechanical	Unit Size (WxHxD mm)	1210.5 x 681.2 x 121.1
	Package Size (WxHxD mm)	1345 x 820 x 220
	VESA Holes (mm)	600x400 M6
	Net Weight (kg)	23.4
	Gross Weight (kg)	29.5
Environmental	Operating Temperature	0°C to 40°C
	Storage Temperature	-10°C to 60°C
	Working Pressure	800-1114 hPa (Altitude:0-2,000m)
Accessories	Included	1.5m DisplayPort Cable, LAN Cable and IR Sensor, Remote Control, 1.5m Power Cable, User Manual
	Optional	Network or Standalone Media Player, Touch Screen Frame
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

## Why Melford?

Melford Technologies have been offering innovative technology solutions for over 50 years.

We provide experienced professional design, project planning, configuration, deployment, and maintenance services for a full one stop shop.

We can assist with the design and manufacture of your digital signage solution from the blank piece of paper at the initial meeting through to installation and post-sales support.

## Contact Us

+44 (0)1494 638 069

info@melfordtechnologies.com

melfordtechnologies.com

